

INTERIM REPORT OF THE STUDY
"EVALUATION OF THE EFFECTIVENESS OF A
PRODUCT CONTAINING RED CLOVER EXTRACT
(GENISTEIN AND DAIDZEIN) AND VITAMIN D, IN
THE TREATMENT OF LUTS FROM BPH AND RELATED
ERECTILE DYSFUNCTION."

STATISTICAL DATA:




30 patients, mean age 64.2, smokers 63.3%

Studies conducted: 2 in Avellino, 1 in Foligno.




Period: October 2018 - June 2019

IPSS (International Prostate Symptom Score): 86.6% IMPROVED

26 PATIENTS IMPROVED BY AN AVERAGE 36.2%






QUALITY OF LIFE: 63.3% IMPROVED
19 PATIENTS IMPROVED BY AN AVERAGE 36.8%






PSA (Prostate Specific Antigen): 86.6% IMPROVED

26 PATIENTS IMPROVED BY AN AVERAGE 28%



IIEF (International index erectile function): 73.3% IMPROVED

22 PATIENTS IMPROVED BY AN AVERAGE 60%



BIBLIOGRAPHY

Formononetin-induced apoptosis of human prostate cancer cells through ERK1/2 mitogen-activated protein kinase inactivation.

Ye Y, Hou R, Chen J, Mo L, Zhang J, Huang Y, Mo Z. *Horm Metab Res.* 2012 Apr;44(4):263-7. Epub 2012 Feb 10.

Transforming growth factor β 1 increase of hydroxysteroid dehydrogenase proteins is partly suppressed by red clover isoflavones in human primary prostate cancer-derived stromal cells.

Liu X, Piao YS, Arnold JT. *Carcinogenesis.* 2011 Nov;32(11):1648-54. Epub 2011 Sep 12.

Isoflavones isolated from red clover (*Trifolium pratense*) inhibit smooth muscle contraction of the isolated rat prostate gland.

Brandli A, Simpson JS, Ventura S. *Phytomedicine.* 2010 Sep;17(11):895-901. Epub 2010 Jul 16.

Effects of one-year treatment with isoflavone extract from red clover on prostate, liver function, sexual function, and quality of life in men with elevated PSA levels and negative prostate biopsy findings.

Engelhardt PF, Riedl CR. *Urology.* 2008 Feb;71(2):185-90; discussion 190.

Anti-androgenic action by red clover-derived dietary isoflavones reduces non-malignant prostate enlargement in aromatase knockout (ArKo) mice.

Jarred RA, McPherson SJ, Jones ME, Simpson ER, Risbridger GP. *Prostate.* 2003 Jun 15;56(1):54-64.

Flavonoid and botanical approaches to prostate health.

Katz AE. *J Altern Complement Med.* 2002 Dec;8(6):813-21. Review.

Induction of apoptosis in low to moderate-grade human prostate carcinoma by red clover-derived dietary isoflavones.

Jarred RA, Keikha M, Dowling C, McPherson SJ, Clare AM, Husband AJ, Pedersen JS, Frydenberg M, Risbridger GP. *Cancer Epidemiol Biomarkers Prev.* 2002 Dec;11(12):1689-96.

Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the prostate testing for cancer and treatment study.

Gilbert R, Martin RM, Fraser WD, Lewis S, Donovan J, Hamdy F, Neal DE, Lane JA, Metcalfe C.

Cancer Causes Control. 2012 Apr;23(4):575-88. Epub 2012 Mar 1.

Vitamin D receptor gene variants and clinical outcomes after androgen-deprivation therapy for prostate cancer.

Pao JB, Yang YP, Huang CN, Huang SP, Hour TC, Chang TY, Lan YH, Lu TL, Lee HZ, Juang SH, Huang CY, Bao BY.

World J Urol. 2011 Dec 23. [Epub ahead of print]

Cellular and molecular effects of vitamin D on carcinogenesis.

Welsh J. *Arch Biochem Biophys.* 2011 Nov 9. [Epub ahead of print]

Novel vitamin D analogs for prostate cancer therapy.

Chen TC, Kittaka A. *ISRN Urol.* 2011;2011:301490. Epub 2011 Sep 19.

Associations of circulating 25-hydroxyvitamin D with prostate cancer diagnosis, stage and grade.

Gilbert R, Metcalfe C, Fraser WD, Donovan J, Hamdy F, Neal DE, Lane JA, Martin RM.

Int J Cancer. 2011 Oct 27. doi: 10.1002/ijc.27327. [Epub ahead of print]

Serum 25 OH vitamin D concentrations and calcium intake are low in patients with prostate cancer.

Varsavsky M, Reyes-García R, Cortés-Berdonces M, García-Martin A, Rozas-Moreno P, Muñoz-Torres M.

Endocrinol Nutr. 2011 Nov;58(9):487-91. Epub 2011 Oct 20.

The synergy effect of daidzein and genistein isolated from *Butea superba* Roxb. on the reproductive system of male mice.

Eumkeb G¹, Tanphonkrang S², Sirichaiwetchakoon K¹, Hengpratom T¹, Naknarong W

Nat Prod Res. 2017 Mar;31(6):672-675.

Effect of isoflavones on reproductive performance, testosterone levels, lipid peroxidation, and seminal plasma biochemistry of male rabbits.

Yousef MI¹, Esmail AM, Baghdadi HH

J Environ Sci Health B. 2004;39(5-6):819-33.

***Butea superba* Roxb. enhances penile erection in rats.**

Tocharus C(1), Smitasiri Y, Jeenapongsa R.

Phytother Res. 2006 Jun;20(6):484-9.

The use of *Butea superba* (Roxb.) compared to sildenafil for treating erectile dysfunction.

Cortés-González JR(1), Arratia-Maqueo JA, Gómez-Guerra LS, Holmberg AR.

BJU Int. 2010 Jan;105(2):225-8.

Clinical trial of *Butea superba*, an alternative herbal treatment for erectile dysfunction.

Cherdshewasart W(1), Nimsakul N.

Asian J Androl. 2003 Sep;5(3):243-6.