

INTERIM REPORT DELLO STUDIO

**“VALUTAZIONE DELL’EFFICACIA DI UN PRODOTTO
CONTENENTE ESTRATTO DI TRIFOGLIO ROSSO
(GENISTEINA E DAIDZEINA) E VITAMINA D, NEL
TRATTAMENTO DEI LUTS DA IPB E DELLA
DISFUNZIONE ERETTILE CORRELATA.”**

DATI STATISTICI:




30 pazienti, età media 64,2, fumatori 63,3%

Studi condotti : 2 ad Avellino, 1 a Foligno.




Periodo: ottobre 2018- giugno 2019

RISULTATI:

IPSS (International Prostate Symptom Score): 86,6% MIGLIORATI
26 PAZIENTI MIGLIORATI MEDIAMENTE DEL 36,2%






QUALITA' DELLA VITA: 63,3% MIGLIORATI
19 PAZIENTI MIGLIORATI MEDIAMENTE DEL 36,8%






PSA (Antigene prostatico specifico): 86,6% MIGLIORATI

26 PAZIENTI MIGLIORATI MEDIAMENTE DEL 28%



IIEF (International index erectile function): 73,3% MIGLIORATI

22 PAZIENTI MIGLIORATI MEDIAMENTE DEL 60%



BIBLIOGRAFIA

Formononetin-induced apoptosis of human prostate cancer cells through ERK1/2 mitogen-activated protein kinase inactivation.

Ye Y, Hou R, Chen J, Mo L, Zhang J, Huang Y, Mo Z. *Horm Metab Res.* 2012 Apr;44(4):263-7. Epub 2012 Feb 10.

Transforming growth factor β 1 increase of hydroxysteroid dehydrogenase proteins is partly suppressed by red clover isoflavones in human primary prostate cancer-derived stromal cells.

Liu X, Piao YS, Arnold JT. *Carcinogenesis.* 2011 Nov;32(11):1648-54. Epub 2011 Sep 12.

Isoflavones isolated from red clover (*Trifolium pratense*) inhibit smooth muscle contraction of the isolated rat prostate gland.

Brandli A, Simpson JS, Ventura S. *Phytomedicine.* 2010 Sep;17(11):895-901. Epub 2010 Jul 16.

Effects of one-year treatment with isoflavone extract from red clover on prostate, liver function, sexual function, and quality of life in men with elevated PSA levels and negative prostate biopsy findings.

Engelhardt PF, Riedl CR. *Urology.* 2008 Feb;71(2):185-90; discussion 190.

Anti-androgenic action by red clover-derived dietary isoflavones reduces non-malignant prostate enlargement in aromatase knockout (ArKo) mice.

Jarred RA, McPherson SJ, Jones ME, Simpson ER, Risbridger GP. *Prostate.* 2003 Jun 15;56(1):54-64.

Flavonoid and botanical approaches to prostate health.

Katz AE. *J Altern Complement Med.* 2002 Dec;8(6):813-21. Review.

Induction of apoptosis in low to moderate-grade human prostate carcinoma by red clover-derived dietary isoflavones.

Jarred RA, Keikha M, Dowling C, McPherson SJ, Clare AM, Husband AJ, Pedersen JS, Frydenberg M, Risbridger GP. *Cancer Epidemiol Biomarkers Prev.* 2002 Dec;11(12):1689-96.

Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the prostate testing for cancer and treatment study.

Gilbert R, Martin RM, Fraser WD, Lewis S, Donovan J, Hamdy F, Neal DE, Lane JA, Metcalfe C. *Cancer Causes Control.* 2012 Apr;23(4):575-88. Epub 2012 Mar 1.

Vitamin D receptor gene variants and clinical outcomes after androgen-deprivation therapy for prostate cancer.

Pao JB, Yang YP, Huang CN, Huang SP, Hour TC, Chang TY, Lan YH, Lu TL, Lee HZ, Juang SH, Huang CY, Bao BY. *World J Urol.* 2011 Dec 23. [Epub ahead of print]

Cellular and molecular effects of vitamin D on carcinogenesis.

Welsh J. *Arch Biochem Biophys.* 2011 Nov 9. [Epub ahead of print]

Novel vitamin D analogs for prostate cancer therapy.

Chen TC, Kittaka A. *ISRN Urol.* 2011;2011:301490. Epub 2011 Sep 19.

Associations of circulating 25-hydroxyvitamin D with prostate cancer diagnosis, stage and grade.

Gilbert R, Metcalfe C, Fraser WD, Donovan J, Hamdy F, Neal DE, Lane JA, Martin RM. *Int J Cancer.* 2011 Oct 27. doi: 10.1002/ijc.27327. [Epub ahead of print]

Serum 25 OH vitamin D concentrations and calcium intake are low in patients with prostate cancer.

Varsavsky M, Reyes-García R, Cortés-Berdonces M, García-Martin A, Rozas-Moreno P, Muñoz-Torres M. *Endocrinol Nutr.* 2011 Nov;58(9):487-91. Epub 2011 Oct 20.

The synergy effect of daidzein and genistein isolated from *Butea superba* Roxb. on the reproductive system of male mice.

Eumkeb G¹, Tanphonkrang S², Sirichaiwetchakoon K¹, Hengpratom T¹, Naknarong W
Nat Prod Res. 2017 Mar;31(6):672-675.

Effect of isoflavones on reproductive performance, testosterone levels, lipid peroxidation, and seminal plasma biochemistry of male rabbits.

Yousef MI¹, Esmail AM, Baghdadi HH
J Environ Sci Health B. 2004;39(5-6):819-33.

***Butea superba* Roxb. enhances penile erection in rats.**

Tocharus C(1), Smitasiri Y, Jeenapongsa R.
Phytother Res. 2006 Jun;20(6):484-9.

The use of *Butea superba* (Roxb.) compared to sildenafil for treating erectile dysfunction.

Cortés-González JR(1), Arratia-Maqueo JA, Gómez-Guerra LS, Holmberg AR.
BJU Int. 2010 Jan;105(2):225-8.

Clinical trial of *Butea superba*, an alternative herbal treatment for erectile dysfunction.

Cherdshewasart W(1), Nimsakul N.
Asian J Androl. 2003 Sep;5(3):243-6.